Low Code Data Analysis in MATLAB

Onomitra Ghosh, MathWorks



(he/him)



Lola Davidson, MathWorks



(she/her)

Case Study: Get Flight Sensor Data ready for Modeling

• Objective:

 Explore, analyze and prepare flight sensor data for modeling


Inputs:

- Excel file with raw flight sensor data

• Output:

- Cleaned sensor data that can be trained to predict Air Speed
- Reusable code
- Source:
 - NASA Dash Link: Sample Flight Data

	A	В	С	D	E	F	G	н	1 I	J	к	L	M
1	Time	FuelQuantity	Latitude	Longitude	OilPressure	OilTemperature	FlightPhaseFromACMS	WeightOnWheels	Altitude	ExhaustGasTemperature	FuelFlow	TrueAirSpeed	WindDirection
2	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0) C
3	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0) C
4	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	420	17.5	0	0) C
5	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0) C
5	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0) C
7	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	420	17.5	0	0) C
8	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0) C
9	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0) C
0	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17.5	0	0) C
1	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	418	17.5	0	0) C
2	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	420	17.5	0	C) C
3	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17.5	0	C) C
.4	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17	0	0) C
.5	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17	0	0) C
.6	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	418	17	0	0) C
.7	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17	0	0	0 0
.8	6/2/2001 5:41	8032	44.8915135	-63.5189992	0	25.0178833	Plan	0	418			0	
0	10001 5:41	8032	44.891510		0	25.0178833			100				



What are "low code" tools?


Low code tools enable:

- rapid software development
- minimal manual coding

Benefits of low code tools:

- Shallow learning curve
- Teach *how* to code
- Solve task first, code later

Not just for beginners



Case Study: Get Flight Sensor Data ready for Modeling

• Objective:

 Explore, analyze and prepare flight sensor data for modeling


Inputs:

- Excel file with raw flight sensor data


• Output:

- Cleaned sensor data that can be trained to predict Air Speed
- Reusable code
- Source:
 - NASA Dash Link: Sample Flight Data

	A	В	С	D	E	F	G	н	1 I	J	K	L	M
1	Time	FuelQuantity	Latitude	Longitude	OilPressure	OilTemperature	FlightPhaseFromACMS	WeightOnWheels	Altitude	ExhaustGasTemperature	FuelFlow	TrueAirSpeed	WindDirection
2	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0	
3	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0	
4	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	420	17.5	0	0	(
5	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0	
5	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0	
7	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	420	17.5	0	0	(
8	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0	
9	6/2/2001 5:41	8048	44.8915135	-63.519183	0	23.67477417	Planning	0	419	17.5	0	0	
0	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17.5	0	0	(
1	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	418	17.5	0	0	
2	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	420	17.5	0	C	
13	6/2/2001 5:41	8048	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17.5	0	C	
4	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17	0	0	
15	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17	0	0	
16	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	418	17	0	0	
17	6/2/2001 5:41	8040	44.8915135	-63.5189992	0	23.67477417	Planning	0	419	17	0	0	(
18	6/2/2001 5:41	8032	44.8915135	-63.5189992	0	25.0178833	Plan	0	418			0	
0	10001 5:41	8032	44.891510		0	25.0178833			100				



MATLAB simplifies the data analysis workflow with low code tools



Use low code tools for easy access to files, databases, and hardware

- Import Tool and Import Live Task
 - Text, CSV, and Excel files

Database Explorer (*Database Toolbox*)
 ODBC & JDBC SQL Databases

- Measurement hardware and industrial data
 - Data acquisition hardware (Data Acquisition Toolbox)
 - Stand-alone instruments and hardware (Instrument Control Toolbox)
 - OPC UA and Aveva PI Server, Modbus devices (Industrial Communication Toolbox)

Analog

Output Gen.,

Analog Input

Recorder

UDP Explore

Arduino

Explorer

CAN Explorer

CAN FD

Explorer

Hardware

Manage

Instrument

Control

Modbus

Explorer

OPC Data

Access Explo...


Raspberry Pi Serial Explorer

Resource M.

TCP/IP

Explore

- CAN, J1939, and XCP (Vehicle Network Toolbox) TEST AND MEASUREMENT



Over 100 low code tools for data analysis, engineering, and Al

- Data Analysis
 - Visualize, manipulate, and preprocess
 - Math, statistics, and optimization

lysis,	Access Files Software Data Analysis Modeling Modeli
Optimize	0 😢 🗄
Minimize a function with or without constraints	
✓ Specify problem type	
	ast squares
Select an objective type to see example functions	
Unconstrained Lower bounds	Upper bounds
Constraints Linear equality Second-order cor	ne Nonlinear Integer
Select constraint types to see example formulas	
Solver (fminsearch - Unconstrained derivative-free nonline	ar minimization (recommended) 🔻 👔
✓ Select problem data	
Objective function From file ▼ Browse New	0
Initial point (x0) select	
Specify solver options	
▼ Display progress	
Text display Final output	
Plot Current point Evaluation count Objectiv	ve value

Optimize Live Task (Optimization Toolbox)

Share


POF 📄

€ XX

Explore & Discover

Over 100 low code tools for data analysis, engineering, and Al

- Data Analysis
 - Visualize, manipulate, and preprocess
 - Math, statistics, and optimization
- Engineering
 - Control system design and analysis
 - Signal processing and communications
 - Image processing and computer vision



Access

Software

Signal Analyzer (Signal Processing Toolbox)

Share


POF

で × ×

Explore & Discover

Over 100 low code tools for data analysis, engineering, and Al

- Data Analysis
 - Visualize, manipulate, and preprocess
 - Math, statistics, and optimization
- Engineering
 - Control system design and analysis
 - Signal processing and communications
 - Image processing and computer vision
- Artificial Intelligence
 - Ground truth labeling
 - Network design, training, and validation
 - Quantization and deployment



Access

Software

Share

Reporting and

Documentation


Explore & Discover

Access

Files


Document as you go – your script is your report


- Divide code into sections
- Embed outputs next to the code
- Add rich text formatting, equations, images, and hyperlinks
- Save directly to PDF, HTML, Word, and LaTeX




Deploy and integrate MATLAB code

- Package and deploy MATLAB programs
- Generate code (C, Mex, GPU, HDL)





Start with low code ... and switch to code easily when needed



	Import Data	
	Import data from a file	
	Create Plot Interactively create and explore visu	alizations
	Clean Missing Data Find, fill, or remove missing data	
	Clean Outlier Data Find, fill, or remove outliers	
	Compute by Group Summarize, transform, or filter by g	Iconb
5	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti</pre>	
	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend</pre>	title, and legend
	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess Text Data</pre>	title, and legend
E Abc	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data</pre>	title, and legend me") * Select data x Figurdata y Time y
	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess Text Data Preprocess and dean up text datu Smooth Data</pre>	title, and legend me")
	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess Text Data Preprocess and clean up text data Smooth Data Smooth noisy data</pre>	title, and legend me") *Sete data × (Feyndlata *) Time * * FightData *) Time *
	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess Text Data Preprocess and dean up text datu Smooth Data</pre>	title, and legend me") Lationary weight and the poor set mate weight and the set of the
	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess Text Data Preprocess and dean up text data Smooth noisy data Smooth noisy data SAND TIMETABLES</pre>	title, and legend me") set optional visualization parameters pot Add Support FuelFlow vs. Time
	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess Text Data Preprocess Text Data Smooth noisy data SAND TIMETABLES Join Tables</pre>	title, and legend me") * state data × (Figurdata v) from v > State optional visualization parameters pct Add ExaEline use Toma
ABLE	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess and clean up text data Smooth notsy data Smooth notsy data SAND TIMETABLES Join Tables Combine two tables using key va Retime Timetable</pre>	title, and legend me") selected ats X Figure 1 me V Figure 2 me
ABLE	<pre>% Add xlabel, ylabel, xlabel("Time") ylabel("FuelFlow") title("FuelFlow vs. Ti legend Center and scale data Preprocess Text Data Preprocess and clean up text data Smooth noisy data Smooth noisy data Smooth noisy data Smooth noisy data Signoth noisy data S</pre>	title, and legend me") select data X FightData V Energy V FightData V Energy FuelFlow vs. Time 3000 FuelFlow vs. Time 2000

23												
Class Diar		Code Analyzer	Code	Data Cleaner	Denervlency	Drofilar	Tart Browser					
View	1 E	ntitled2 *	× +	lassifier	validationA	ccuracyl =	trainClassi	fier/trainin	and at a resp	onseData)		
IACHINE L	2日		inedClassifi						iguata, resp	onsebaca)		
(1)	3		onseData) rns a traine	d classifie	and its a	curacu Th	ic code pac	mantas the				
Classifica	5		sification m									EXPORT
Learn	6		rated code to				1 with new	data, or to				· · ·
ATH, STA	7 8	% learn	n how to prop	grammatical	Liy train mo	dels.						te Plot ×
1	9	% Inp										
Curve F	10 11	* *			with the set of the se		of columns a	and data typ	e			
- 1	12	%										ctions et 🔽
ONTROL S	13 14	* *			with the s							rect 🗸
	14	%			must be equ		sevata and	the number o	7			
Control S	16	%										
Desigr	17 18	% % Out	put:									
MSCAPE	19	%		sifier: A s	struct conta	ining the t	rained clas	sifier. The				Move to Fro
00	20	* *			ous fields w	ith informa	tion about	the trained				r
Rattery B	21 22	* *	classifier	•1								bolor
battery b	23	%		sifier.pred	dictFcn: A f	unction to	make predic	tions on new	(ilca
DBOTICS /	24 25	*	data.									
	26	*	validationA	ccuracy: A	double repr	esenting th	e validatio	n accuracy a	15			
	27	*			app, the Mo	dels pane d	isplays the	validation				
Flight L Analyz	28 - 29	*	accuracy fo	or each mod	Je1.							
ломоти	30	% Auto	-generated by	MATLAB								
	31 32											pat <u>e features</u>
13	33		act predictor									fold cross-val
Driving Sc Desiar	34 35	inputT	able = array:	2table(trai	iningData, '	VariableNam	es', {'colu	mn_1', 'colu	Imn_2', 'col	umn_3', 'co	lumn_4', 'col	umn_5'});
GNAL PR	36	predict	torNames = {	'column_1',	'column_2'	, 'column_3	', 'column_	4', 'column_	5'};			
UTTAL FIN	37		tors = input		redictorName	s);						
5a	38 39		se = response goricalPredie		lse, false,	false, fals	e, falsel;					
5G Wave Genera	40		ames = {'Fema				-,					
	41 42 -	9 Train	n a classifi	00								
	43 -		code specif.		e classifier	options an	d trains the	e classifier	·.			
Matchi Network [44 45		ficationTree		2(
	45		edictors,									
2	47	'S	plitCriterio									
Signal Inte Viewe	48 49		axNumSplits'									
AGE PRO	50		lassNames',);							
	51 52	* Cross	te the result	t struct wi	ith prodict	function						
1	32		torExtr tio				bl nes	dir	ies)			
Camer Calibra	ra tor	Color Thresholder	Diad M Browser	Hyperspect Viewer	Image Acquisition Exp	Age Batch Processor	Image Bowser	Image Labeler	Analyzer	Image Segmenter	Image Viewer L	idar Camera Calibrator
E				A			2					
Lidar Lab		Lidar Viewer	Medical Image	OCR Trainer	Registration	Stereo Camera	Video Labeler	Video Viewer	Volume	Volume Viewer	Wavelet Image	
			Labeler									
							_					

Interactive Controls

Live Tasks

Thank you



© 2023 The MathWorks, Inc. MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See *mathworks.com/trademarks* for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.



MathWorks

Share the EXPO experience **#MATLABEXPO**

Onomitra Ghosh



in









Lola Davidson

Idavidso@mathworks.com

@linkedin.com/in/lola-davidson-07b073146

