




MATLAB EXPO 2017

从创意到实现
—— IoT 时代的智能系统

陈炜博士
张延亮博士
陈建平

亚太区大学计划高级经理，ARM研究院
首席科学家，松山湖国际机器人研究院
高级应用工程师，MathWorks 中国




智能系统无处不在

- 汽车工业
- 无人机
- 医药
- 人形机器人
- 农业
- 家用电器
- 玩具
- 消费电子
- 3D 打印
- 仓储
- 物流
- ...




智能系统的架构



智能系统的挑战

- 领域相关的算法
- 通信系统开发和和数据安全
- 低功耗嵌入式系统
- 智能算法开发和部署

快速迭代！



基于 ARM 的智能设备开发

—— 安全通信和嵌入式算法

芯片级的安全解决方案

ARMv8 development timeline




- 安全硬件系统架构**
- 可信固件**
- TEE**
- 可信升级服务**
- 安全协议**

- Accelerate
- CoDesigned with Distributed Application
- CoDesigned with Ecosystem
- Co-Design with (Constrained) Environment
- Challenge & Opportunity for PRC Ecosystem

TrustZone for ARMv8-M: time to market & secure




PSA is defining a framework and core security functions
Defines the TCB and various levels of isolation



Increases the value of the SoC to ODM/OEMs because it has known security functionality and makes life easier for 3rd party SW vendors

MATLAB 和 Simulink 对 ARM Cortex-A 的支持


- 产生优化的可跟踪 C 代码
- 支持调用 Ne10 库，针对 ARM® Cortex®-A 的目标优化
- 通过系统对象和 Simulink 模块优化 DSP 库
-




Demo

—— 基于 ARM 的智能心电图监控设备


Demo




通过 ARM Cortex-A 开发板
BeagleBoard Black (BBB) 实时采集流数据 (ECG)




流式算法：
实时滤波，采样率调整，检测，分类




原形：
使用外部模式协同测试
算法



实现：
自动生成和部署算
法到 ARM Cortex-
A BBB 开发板之中




从算法到系统原型



基于 ARM 的智能心律监控设备

Solution

- 基于模型的设计流程
- 可执行的需求和仿真
预处理 & ECG 信号的检测
- 代码生成
产生基于 ARM Cortex-A
的优化后的 PIL 模块
- 验证
在 BeagleBone Black开发
板中实时运行



Contents

- Summary
- Subsystem Report
- Code Interface Report
- Traceability Report
- Static Code Metrics Report
- Code Replacements Report

Generated Code

- [+] Main file
 - `ert_main.c`
- [+] Model files
 - `ECGSignalProcessingSubsystem.c`
 - `ECGSignalProcessingSubsystem.h`
 - `ECGSignalProcessingSubsystem_`
 - `ECGSignalProcessingSubsystem_`
 - `ECGSignalProcessingSubsystem_`
 - `ECGSignalProcessingSubsystem_`

```

157     real_T y;
158     int32_T i;
159     int16_T RRSum;
160     uint32_T tmp;
161
162     /* DiscreteFir: '<S1>/Bandpass_Filter' incorporates:
163      * Import: '<Root>/In1'
164      */
165     ne10_fir_float_neon(&ECGSignalProcessingSubsystem_DW.S,
166                         &ECGSignalProcessingSubsystem_U.rawInput[0],
167                         &ECGSignalProcessingSubsystem_B.BandpassFilter[0], 50U);
168
169     /* DiscreteFir: '<S1>/derivative' */
170     ne10_fir_float_neon(&ECGSignalProcessingSubsystem_DW.S_c,
171                         &ECGSignalProcessingSubsystem_B.BandpassFilter[0],
172                         &ECGSignalProcessingSubsystem_B.Abs[0], 50U);
173
174     /* Abs: '<S1>/Abs' */
175     for (i = 0; i < 50; i++) {
176         ECGSignalProcessingSubsystem_B.Abs[i] = (real32_T)fabs
177             (ECGSignalProcessingSubsystem_B.Abs[i]);
178     }
  
```

终端和云端的智能算法

—— 基于工程数据的算法

商业和交易数据

数据仓库

- Databases (SQL)
- NoSQL
- Hadoop

文件 I/O

- Text
- Spreadsheet
- XML


网络数据

- RESTful
- JSON
- HTML
- Mapping
- Financial datafeeds


MATLAB 数据分析同时应用于 商业数据和工程数据

工程和科学数据

文件 I/O



Traditional Data Sources Dominate, But Many New Sources Are Planned



Gartner





通信协议

- CAN (Controller Area Network)
- DDS (Data Distribution Service)
- OPC (OLE for Process Control)
- XCP (eXplicit Control Protocol)

实时数据

- Sensors
- GPS
- Instrumentation
- Cameras
- Communication systems
- Machines (embedded systems)

MATLAB 智能算法流程



数据访问和探索

MATLAB Analytics work with business and engineering data



预处理

MATLAB lets engineers do Data Science themselves


预测算法

系统集成

MATLAB Analytics run anywhere





MATLAB Analytics Scale



Demo

—— 人体动作识别





Dataset courtesy of:

Davide Anguita, Alessandro Ghio, Luca Oneto, Xavier Parra and Jorge L. Reyes-Ortiz.

Human Activity Recognition on Smartphones using a Multiclass Hardware-Friendly Support Vector Machine.


International Workshop of Ambient Assisted Living (IWAAL 2012). Vitoria-Gasteiz, Spain. Dec 2012

<http://archive.ics.uci.edu/ml/datasets/Human+Activity+Recognition+Using+Smartphones>



动作识别 Solution




- 基于 App 的快速机器算法
- 65 行核心代码实现特征提取、分类算法
- 支持云端的代码部署
- 支持基于嵌入式系统的 C 代码生成




大数据扩展和应用发布

——一键式应用部署

大数据应用



MATLAB 发布和部署



基于公有云的部署

ThingSpeak Channels Apps Blog Support ▾

Sign In Sign Up

Billions and Billions

The open data platform for the Internet of Things

Get Started Contact Us

Collect
Send sensor data to the cloud.

Analyze
Analyze and visualize your data.

Act
Trigger a reaction.

```
% Download the tide data using a custom function
[tideTime,tideRangemm] = readAllMyTideData();

% Water depth from the mud
% Measured distance from the gauge to the mud.

mud = tideRangemm / 25.4 / 12;

index] = unique(tideTime);
dutimeindex);

feet;
(could also use movmedian)
(depthFeet,121,2);
(depthFeet,11,1);
```

```
% Download the tide data using a custom function
```

```
[tideTime,tideRangemm] = readAllMyTideData();
```

```
water depth from the mud
```

```
% Measured distance from the gauge to the mud.
```

```
mud = tideRangemm / 25.4 / 12;
```

```
index] = unique(tideTime);
```

```
dutimeindex);
```

```
feet;
```

```
(could also use movmedian)
```

```
(depthFeet,121,2);
```

```
(depthFeet,11,1);
```

```
iers  
Level
```

0

Jan 26, 00:00

Jan 26, 12:00

Jan 27, 00:00

2016

The end of slides!